

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/673,761	10/18/2000	Ben Te-Eni	144/01890	4234
7590 12/16/2004			EXAMINER	
William H Dippert			SMITH, SHEILA B	
Cowan Liebowitz & Latman 1133 Avenue of the Americas New York, NY 10036-6799			ART UNIT	PAPER NUMBER
			2681	
			DATE MAILED: 12/16/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

7

^		
	Application No.	Applicant(s)
Office Action Summers	09/673,761	BEN TE-ENI ET AL.
Office Action Summary	Examiner	Art Unit
	Sheila B. Smith	2681
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).
Status		_
 1) Responsive to communication(s) filed on 11 Ja 2a) This action is FINAL. 2b) This 3) Since this application is in condition for allowar closed in accordance with the practice under E 	action is non-final.	
Disposition of Claims		
4) ☐ Claim(s) 23-56 is/are pending in the application 4a) Of the above claim(s) 1-22 is/are withdrawn 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 23-56 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	from consideration.	
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to by the Id drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 7.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	

Art Unit: 2681

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 1. Claims 23-56 are rejected under 35 U.S.C. 102(b) as being anticipated by Grube et al. (U.S. Patent Number 5,594,947).

Regarding claim 23, Grube et al. discloses essentially all the claimed invention as set fourth in the instant application, further Grube et al. discloses a method for providing alternate communication services based on geographic location, in addition Grube et al. discloses a apparatus for controlling mobile communication services in a cellular system in which mobile stations communicate to a network via cellular system base stations, comprising at least one front end device (101) separate from a base station (104,105) and installed within or nearby a predefined area (113,114), said front end device (101) being configured to monitor exchange of messages between mobile stations (102,103) and cellular system base stations (104,105); position determining apparatus (117) that determines the position of mobile stations responsive at least to the monitored exchanges; and a management system (101) containing database (124) of subscriber profiles and configured to control enabled services to subscribers depending upon locations of subscribers with respect to said predefined area (as exhibited in figure 1, and disclosed in column 2 lines 25-64).

Art Unit: 2681

Regarding claims 24,25, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the predetermined area is an area closed by walls which at least partially absorb radio waves utilized for exchange of said messages (which reads on column 1 lines 50-59).

Regarding claim 26, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the position determining apparatus (117,118) determines the position to a resolution better than that possible based on monitoring of the messages at the base stations (which reads on column 2 lines 50-64).

Regarding claim 27, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the management system is interconnected with a mobile switching center and wherein control of enabled services includes selective screening of calls (which reads on column 1 lines 45-62).

Regarding claim 28, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the management system is interconnected with a mobile switching center and wherein control of enabled services includes blocking of calls to at least some of the mobile stations located within the area (which reads on column 1 lines 45-59).

Regarding claim 29, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the management system is interconnected with a mobile

Art Unit: 2681

switching center and wherein control of enabled services includes blocking of calls from at least some of the mobile stations located within the area (which reads on column 1 lines 45-59).

Regarding claim 30, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the management system is interconnected with a mobile switching and wherein communication services depending on location include available connection bandwidth (which reads on column 2 lines 5-25).

Regarding claim 31, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses least one front end device employs geographical intersection techniques to determine location of a received mobile station originated message and transfers said location information to said management system (which reads on column 2 lines 25-37).

Regarding claim 32, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses and including an input via which said database profile entries can be dynamically updated (which reads on column 2 lines 50-59).

Regarding claim 33, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the front end device incorporates a local interface to an external system via which subscriber identity information is reported (which reads on column 3 lines 1-9).

Art Unit: 2681

Regarding claims 34-38, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the front end device is configured to locally communicate high bandwidth content within the predefined area (which reads on column 3 lines 1-9).

Regarding claim 39, Grube et al. discloses essentially all the claimed invention as set fourth in the instant application, further Grube et al. discloses a method for providing alternate communication services based on geographic location, in addition Grube et al. discloses a apparatus for controlling mobile communication services in a cellular system in which mobile stations communicate to a network via cellular system base stations, comprising at least one front end device (101) separate from a base station (104,105) and installed within or nearby a predefined area (113,114), said front end device (101) being configured to monitor exchange of messages between mobile stations (102,103) and cellular system base stations (104,105); position determining apparatus (117) that determines the position of mobile stations responsive at least to the monitored exchanges; and a management system (101) containing database (124) of subscriber profiles and configured to control enabled services to subscribers depending upon locations of subscribers with respect to said predefined area (as exhibited in figure 1, and disclosed in column 2 lines 25-64).

Regarding claims 40-46, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the front end device is configured to locally communicate high bandwidth content within the predefined area (which reads on column 3 lines 1-9).

Art Unit: 2681

Regarding claim 47, Grube et al. discloses essentially all the claimed invention as set fourth in the instant application, further Grube et al. discloses a method for providing alternate communication services based on geographic location, in addition Grube et al. discloses a apparatus for controlling mobile communication services in a cellular system in which mobile stations communicate to a network via cellular system base stations, comprising at least one front end device (101) separate from a base station (104,105) and installed within or nearby a predefined area (113,114), said front end device (101) being configured to monitor exchange of messages between mobile stations (102,103) and cellular system base stations (104,105); position determining apparatus (117) that determines the position of mobile stations responsive at least to the monitored exchanges; a management system (101) interconnected with cellular switching center, said management system having a database (124) of representative radio signal characteristics and locations, said management system receives information of representative radio information received by mobile stations and compares them with said database (123,125), thereby extracting a list of mobile stations location within said predefined area (113,114), wherein said radio signals information received by said management system is adjacent cell information received from mobile stations (as exhibited in figure 1, and disclosed in column 2 lines 25-64).

Regarding claim 48, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the said management system is implemented within the cellular system switching center software (which reads on column 3 lines 1-9).

Art Unit: 2681

Regarding claim 49, Grube et al. discloses essentially all the claimed invention as set fourth in the instant application, further Grube et al. discloses a method for providing alternate communication services based on geographic location, in addition Grube et al. discloses a apparatus for controlling mobile communication services in a cellular system in which mobile stations communicate to a network via cellular system base stations, comprising at least one front end device (101) separate from a base station (104,105) and installed within or nearby a predefined area (113,114), said front end device (101) being configured to monitor exchange of messages between mobile stations (102,103) and cellular system base stations (104,105); position determining apparatus (117) that determines the position of mobile stations responsive at least to the monitored exchanges; a management system (101) interconnected with cellular switching center, said management system having a database (124) of representative radio signal characteristics and locations, said management system receives information of representative radio information received by mobile stations and compares them with said database (123,125), thereby extracting a list of mobile stations location within said predefined area (113,114), wherein said radio signals information received by said management system is adjacent cell information received from mobile stations (as exhibited in figure 1, and disclosed in column 2 lines 25-64).

Regarding claim 50, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses a management system is implemented within the cellular system switching center software (which reads on column 3 lines 1-9).

Art Unit: 2681

Regarding claim 51, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses a radio signals are implemented according to Shared Wireless Access Protocol (wireless Access) and a corresponding receiver is attached to the mobile stations (which reads on column 3 lines 1-9).

Regarding claim 52, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses a management system containing database of subscriber profiles and configured to control enabled services to subscribers depending upon locations of subscribers (which reads on column 3 lines 1-9).

Regarding claim 53, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the management system is interconnected with a mobile switching center and wherein control of enabled services includes selective screening of calls (which reads on column 3 lines 1-9).

Regarding claim 54, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the management system is interconnected with a mobile switching center and wherein control of enabled services includes blocking of calls to at least some of the mobile stations located within a predetermined area (which reads on column 3 lines 1-9).

Application/Control Number: 09/673,761 Page 9

Art Unit: 2681

Regarding claim 55, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses the management system is interconnected with a mobile switching and wherein communication services depending on location include available connection bandwidth (which reads on column 3 lines 1-9).

Regarding claim 56, Grube et al. discloses everything claimed as applied above additionally, Grube et al. discloses including an input via which said database profile entries can be dynamically updated (which reads on column 3 lines 1-9).

Art Unit: 2681

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sheila B. Smith whose telephone number is (703)305-0104. The examiner can normally be reached on Monday-Thursday 6:00 am - 3:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Hudspeth can be reached on 703-308-4825. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

S. Smith 5. S. December 10, 2004

Jenica M. Beams